Sabouraud Dextrose (2%) Agar



Medium used for the cultivation pathogenic and non pathogenic fungi, particularly dermatophytes.

CONTENTS (Liter)

Peptone 10.0 g Dextrose 20.0 g Agar 15.0 g

Final pH = 6.4 ± 0.2 at 25° C.

PROCEDURE

Suspend 45.0 G of powder in 1 L of distilled or deionized water. Heat to boiling until completely dissolved. Sterilize by autoclave at 121°C for 15 minutes. Cool to 45-50°C in water bath. Mix well. Dispense in petri dishes.

INTERPRETATION

Sabouraud Dextrose (2%) Agar is a medium used for the cultivation pathogenic and non pathogenic fungi, particularly dermatophytes. Peptone is source of nitrogenous growth factors. Dextrose is an energy source for the growth of microorganisms. Agar is the solidifying agent.

TECHNIC

Inoculate the plates with spreading the specimen on surface of medium using a sterile loop. Incubate at 30 \pm 2°C for 24 - 48 hours up to 7days. Refer appropriate references for recommended test procedure.

QUALITY CONTROL FOR USE

Dehydrated medium

Appearance: free-flowing, homogeneous

Color: light beige Prepared medium

Appearance: clear to slightly opalescent

Color: light amber

Incubation conditions: $30 \pm 2^{\circ}\text{C}$ / 18 - 48 hours up to 7days

Microorganism	ATCC	Inoculum CFU	Growth
Candida albicans	10231	50-100	Good
Candida krusei	32196	50-100	good
Saccharomyces cerevisiae	76625	50-100	good
Aspergillus niger	16404	heavy	good

STORE

The powder is very hygroscopic. Store the powder at room temperature, in a dry environment, in its original container tightly closed and use it before the expiry date on the label or until signs of deterioration or contamination are evident. Store prepared medium at 2-8°C.

REFERENCES

- 1. Sabouraud. 1892. Ann. Dermatol. Syphil. 3: 1061.
- 2. Ajello, Georg, Kaplan and Kaufman. 1963. CDC laboratory manual for medical mycology. PHS Publication No. 994, U.S. Government Printing Office, Washington, D.C.
- 3. Reisner, Woods, Thompson, Larone, Garcia and Shimizu. 1999. In Murray, Baron, Pfaller, Tenoverand Yolken(ed.). Manual of clinical microbiology, 7th ed. American Society for Microbiology, Washington, D.C.

PACKAGE

Cat. No : MB-S2246 Sabouraud Dextrose(2%) Agar	500 G
Cabourada Dexirose(270) Agai	

