

Medium used for the isolation and cultivation of yeasts and molds.

CONTENTS (Liter)

Peptones	10.0 g
Glucose	20.0 g
Chloramphenicol	0.5 g
Final pH = 5.6 \pm 0.2 at 25°C	

PROCEDURE

Suspend 30.5 G of powder in 1 L of distilled or deionized water. Heat to boiling until completely dissolved. Sterilize by autoclave at 121°C for 15 minutes. Cool to 45 - 50°C in water bath. Mix well. Pour into tubes.

INTERPRETATION

Sabouraud Chloramphenicol Broth is a medium used for the isolation and cultivation of yeasts and molds. Peptones serve as sources of carbon, nitrogen, vitamins and minerals. Glucose is a energy source for the growth of microorganisms. Chloramphenicol is a broad-spectrum antibiotic which inhibits a wide range of Gram-positive and Gram-negative bacteria.

TECHNIC

Inoculate the specimen with stab using a sterile needle to the medium. Shake gently for spreading microorganism. Incubate at 20 - 25 °C for 48 - 72 hours. Refer appropriate references for recommended test procedure.

• QUALITY CONTROL FOR USE

Dehydrated medium Appearance: free-flowing, homogeneous Color: light beige <u>Prepared medium</u> Appearance: clear Color: light amber Incubation conditions: 20 - 25°C / 48 - 72 hours

Microorganism	ATCC	Inoculum CFU	Growth
Aspergillus niger	16404	50-100	good
Candida albicans	10231	50-100	good
Saccharomyces cerevisiae	76625	50-100	good
Escherichia coli	25922	50-100	inhibited

• STORE

The powder is very hygroscopic. Store the powder at room temperature, in a dry environment, in its original container tightly closed and use it before the expiry date on the label or until signs of deterioration or contamination are evident. Store prepared medium at 2 - 8°C.

• REFERENCES

- 1. Sabouraud, R. 1892. Ann. Dermatol. Syphilol. 3:1061.
- 2. Jarett, L., and A. C. Sonnenwirth (eds.). 1980. Gradwohl's and parasitic infections, 7th ed. American Public Health Association, Washington, D.C.
- 3. Curry, A. S., J. G. Graf, and G. N. McEwen, Jr. (eds.). 1993. CTFA Microbiology Guidelines. The Cosmetic, Toiletry, and Fragrance Association, Washington, D.C.
- 4. Marshall, R. T. (ed.). 1993. Standard methods for the microbiological examination of dairy products, 16th ed. American Public Health Association, Washington, D.C.
- 5. U.S. Food and Drug Administration. 1995. Bacteriological analytical manual, 8thed. AOAC International, Gaithersburg, MD.
- 6. Murray, P. R., E. J. Baron, M. A. Pfaller, F. C. Tenover, and R. H. Yolken (eds.). Manual of clinical microbiology, 6th ed. American Society for Microbiology, Washington, D.C.
- 7. MacFaddin, J. F. 1985. Media for isolation-

PACKAGE

Cat. No : MB-S2242 500 G Sabouraud Chloramphenicol Broth

